

Access

- [Domains](#)
- [HTTPS](#)
- [User Agent](#)
- [API Key](#)
- [Test API Compatibility](#)

Domains

The official domains for accessing the API are:

- EU platform
 - API - api.spreadshirt.net
 - Images - image.spreadshirtmedia.net
- NA platform
 - API - api.spreadshirt.com
 - Images - image.spreadshirtmedia.com

HTTPS

The API can only be accessed using HTTPS:

- API - <https://api.spreadshirt.net> or <https://api.spreadshirt.com>
- Images - <https://image.spreadshirtmedia.net> or <https://image.spreadshirtmedia.com>

User Agent

The API can only be accessed providing a valid User-Agent:

- User-Agent: `<YourApplication>/<YourApplicationVersion>` (<https://www.yourdomain.com>; yourname@yourdomain.com)
- User-Agent: `WordPress-Plugin/1.0` (<https://www.deinblog.com>; admin@deinblog.com)

API Key

The API ([read api.spreadshirt.net](https://api.spreadshirt.net), api.spreadshirt.com) can only be access providing at least an API Key:

- Authorization: `SprdAuth apiKey="8e5bb312-9060-446f-ada2-8c319327745a"`

Test API Compatibility

You can test that your application works with the new requirements by accessing shop data and providing an *X-API-Key-Test* header:

```
curl -v 'http://api.spreadshirt.net/api/v1/shops/205909'
```

vs.

```
curl -H 'X-API-Key-Test: yes' 'http://api.spreadshirt.net/api/v1/shops/205909'
```

Now, from there on

- switch to HTTPS,
- provide a User-Agent,
- provide an API Key (use your own API Key, otherwise we will block you in the near future)

```
curl -v -H 'X-API-Key-Test: yes' -H 'User-Agent: MyApp/0.1 (https://www.myapp.com; admin@myapp.com)' -H 'Authorization: SprdAuth apiKey="..." 'https://api.spreadshirt.net/api/v1/shops/205909' > /tmp/out
```